

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

```

PORT          = 80
RULE1         = {
    TIME       = "1AM-12PM"
}
WWW.SRMC.COM  = {
    .CGI       = "PROCESSCGI"
    ROOT       = "/HOME/SRMC/HTML"
}
WWW.HONOLULU.NET = {
    .CGI       = ""
    ROOT       = "/HOME/HONOLULU/HTML"
}
WWW.SANJOSE.NET = {
    .CGI       = "PROCESSCGI"
    ALLOW      = {
        *.SRMC.COM
        205.138.192.*
        205.138.192.0/23
    }
    DENY       = {
        MISTERPAIN.COM
    }
}
WWPROXY.SRMC.COM = {
    MODE       = RT_SERVERPROXY
}
NS.SRMC.COM   = {
    ALLOW      = {
        192.168.0.*
        192.168.1.* = RULE1
        192.168.2.* = {
            TIME       = "1AM-12PM"
        }
        192.168.3.* = 192.168.2.*
    }
}
MJU.SRMC.COM  = {
    ALLOW      = {
        192.168.0.0/23 = RULE1
    }
    DENY       = {
        192.168.0.* = {
            TIME       = "12PM-1AM"
        }
    }
}

```

FIG. 7




FIG. 8




FIG. 9